

Technical Publications 1View

1View User Guides

Overview	2
Homepage.....	4
Subscription Management.....	5
Table of Contents (TOC).....	6
Navigation	8
Search	11
Linking.....	13
Order List	14
Graphic Panel.....	17
Print.....	18
Tasks.....	19
Annotations.....	20
Change Requests/TMDA	22
Offline Application	23
Web Registration	34

Overview

1View Technical Publications User Guide

The 1View application allows you to view all manufacturer-authorized Illustrated Parts Catalogs, Wiring Manuals, Maintenance Manuals, Structural Inspection Manuals, Airworthiness Limitations Manuals, Printed Circuit Board Manuals, Maintenance Schedules, Flight Manuals, Service Documents, and other technical publications for all three Textron Aviation brands: Beechcraft, Cessna, and Hawker. To access the 1View manuals, you must be an active subscriber and registered on the website.

The 1View website is located at <http://pubs.txtav.com>. To view technical data (including technical manuals) users need to create a web account. This is a one-time, no charge set-up. For more information on how to register on the site, refer to the Web Site Registration user guide.

Online manuals can be accessed by clicking the 1View link on the Tech Pubs homepage.

This user guide uses various manuals across brands to illustrate how to use the 1View manuals.

The screenshot shows the homepage of the Textron Aviation 1View website. The header includes the Textron Aviation logo, navigation links for HOME, SERVICE INFORMATION, 1VIEW, BEECHCRAFT, and CESSNA, and a My Account link. The main content area features a large banner with the text "Textron Aviation Technical Publications" and a hand pointing to a keyboard key labeled "Operations & Maintenance". Below the banner are three columns: "Welcome" with a description of the site's features, "Get Started" with a list of actions (Explore features, Watch testimonials, Register for webinar), and a "172,153 Illustrations One System" graphic. The footer contains copyright information and links for Terms & Conditions, Privacy Policy, and CONTACT.

Glossary of Terms

1View – Web-based application which allows you to view all manufacturer-authorized flight and maintenance information for all Textron Aviation brands: Beechcraft, Cessna, and Hawker. 1View is the electronic equivalent of operations manuals, maintenance manuals, and service information issued in print.

Annotation - A note added to text or drawing as a comment or explanation. This feature is available in 1View in both the text and graphic panels.

Change Request – Customer request to change information in a publication (by manual). When a discrepancy is noted in a published technical manual, users may submit an online change request form to identify and report the discrepancy to the factory.

Intranet – A private network accessible to an organization and its employees that may consist of many interlinked systems and applications. 1View offline application installed on an intranet network may be accessed at multiple user workstations from within that network.

Library Manager – An administrative screen used to download and install libraries for viewing in the offline application.

Single Sign-on (SSO) - A session and user authentication service that permits a user to use one set of login credentials (e.g. user name and password) to access multiple Beechcraft, Cessna, and Textron Aviation websites.

Standalone – A version of the 1View offline application that is installed on a local system and only accessible on this specific machine.

Technical Manual Deviation Approval (TMDA) – Engineering/FAA approved deviations to the published manual. TMDA's will be incorporated in the manual at a future revision.

Tool Tip – While hovering the cursor over an item, without clicking it, a small box appears containing descriptive information about the item being hovered over

Homepage

General Information:

After logging into the Technical Publication website and selecting the 1View link, the user will be directed to the 1View application homepage. From the homepage the user can view the Model libraries to which they are subscribed. By selecting the “Manage Subscription” button located at the bottom of each brand column, the user will be directed to the appropriate web location for renewing current subscriptions and/or purchasing additional subscriptions.

The 1View homepage offers several features, which include but are not limited to: Notifications, Order List, Contact Us, Account Settings, Bookmarks, Terms and Conditions, and subscription status information. A search conducted from the homepage will return results from all libraries to which the user has a subscription.

Instructions

1. The Homepage is displayed upon login
2. The models you currently subscribe to are listed in columns by make
 - a. If you are not subscribed to any libraries for a particular make, the phrase “You are not subscribed to a Hawker library. Click the button below to view available libraries.” is displayed
 - b. Select the Manage Subscriptions button to manage subscriptions (See [Subscription Management](#))
3. Open a library by selecting the Model name (ex: Model 162)
 - a. The clock icon 🕒 represents the subscription status of a particular library
 - i. Green: Current
 - ii. Yellow: Expiring within 60 days
 - iii. Red: Expired – The library cannot be accessed until the subscription is renewed
 - b. The star icon ★ allows a user to select if they would like to add a specific library to their bookmarks, for quick access

The screenshot displays the 1View application homepage. At the top, there is a navigation bar with links for COMPANY ID, TOOL TIP: ON, NOTIFICATIONS, ORDER LIST, CONTACT US, HELP, and a home icon. The user is logged in as Victoria, with links for Account Settings and Logout. A search bar is present, and a Bookmarks (3) icon is visible in the top right. The main content area is divided into three columns for Beechcraft, Cessna, and Hawker. Each column lists models with their subscription status (clock icon) and a star icon for bookmarks. The 'Model 162' in the Cessna column is highlighted with a red box. A red box also highlights the 'Manage Subscriptions' button at the bottom of the Hawker column. A message box on the right side of the Hawker column states: "You are not subscribed to a Hawker library. Click the button below to view available libraries." The footer contains copyright information for Textron Aviation and links for Privacy Policy, Terms of Use, and California Disclosure Statement.

Brand	Model	Subscription Status	Bookmark
Beechcraft	Debonair	🕒	★
	Premier Model 390	🕒	★
Cessna	Model 100 Series (1950s)	🕒	★
	Model 100 Series (1960s)	🕒	★
	Model 100 Series (1970s)	🕒	★
	Model 100 Series (1980s)	🕒	★
	Model 162	🕒	★
	Model 200 Series (1960s)	🕒	★
	Model 200 Series (1970s)	🕒	★
	Model 200 Series (1980s)	🕒	★
	Model 303, 336 and 337 Series	🕒	★
	Model 310	🕒	★
	Model 335 and 340	🕒	★
	Model 401/402 Series	🕒	★
	Model 404/411/414 Series	🕒	★
	Model 425 and 441	🕒	★
	Model 500 Series	🕒	★
	Model 510	🕒	★
	Model 525	🕒	★
Model 525 (M2)	🕒	★	
Model 525A	🕒	★	
Model 530	🕒	★	
Hawker	(None listed)	(None listed)	(None listed)

Subscription Management

General Information:

Model libraries to which a user is subscribed will appear in their respective columns located on the 1View homepage. The clock icon located to the right of the Model library name will change color based on the subscription status. To manage your current subscriptions, renew a subscription, and/or purchase additional libraries, use the “Manage Subscriptions” button located at the bottom of each brand column. By selecting “Manage Subscriptions” you will be directed to the appropriate subscription website for your intended Make.

Instructions:

1. Clicking the Manage Subscriptions button launches the appropriate site based off which column you have selected from
 - a. Beechcraft and Hawker Manage Subscriptions buttons navigate to Beechcraft.com
 - b. Cessna Manage Subscriptions button navigates to Cessna.Support.com
2. From the Manage Subscriptions sites, you can:
 - a. View available libraries
 - b. Renew existing subscriptions
 - c. Purchase additional libraries
3. The clock icon 🕒 represents the subscription status of a particular library
 - a. Green: Current – Your subscription is current and you are able to access the library
 - b. Yellow: Expiring within 60 days – Consider renewing your subscription soon for this library, it will expire within the next 60 days
 - c. Red: Expired – The library cannot be accessed until the subscription is renewed

The screenshot displays the 1View homepage interface. At the top, there is a navigation bar with links for COMPANY ID, TOOL TIP: ON, NOTIFICATIONS (6), ORDER LIST, CONTACT US, and HELP. Below this is a search bar and a welcome message for Victoria. The main content area is divided into three columns for Beechcraft, Cessna, and Hawker. Each column lists model libraries with a clock icon indicating subscription status and a star icon for favorites. A 'Manage Subscriptions' button is located at the bottom of each column. The Hawker column shows a message: 'You are not subscribed to a Hawker library. Click the button below to view available libraries.'

Brand	Model Library	Subscription Status (Clock Icon)	Favorites (Star Icon)
Beechcraft	Debonair	🟢	★
	Premier Model 390	🟢	★
Cessna	Model 100 Series (1950s)	🟢	★
	Model 100 Series (1960s)	🟢	★
	Model 100 Series (1970s)	🟢	★
	Model 100 Series (1980s)	🟢	★
	Model 162	🟢	★
	Model 200 Series (1960s)	🟢	★
	Model 200 Series (1970s)	🟢	★
	Model 200 Series (1980s)	🟢	★
	Model 303, 336 and 337 Series	🟢	★
	Model 310	🟢	★
	Model 335 and 340	🟢	★
	Model 401/402 Series	🟢	★
	Model 404/411/414 Series	🟢	★
	Model 425 and 441	🟢	★
	Model 500 Series	🟢	★
	Model 510	🟢	★
	Model 525	🟢	★
	Model 525 (M2)	🟢	★
Model 525A	🟢	★	
Model 590D	🟢	★	
Hawker	You are not subscribed to a Hawker library. Click the button below to view available libraries.		

Table of Contents (TOC)

General Information:

The user will be directed to the Table of Contents page for the Model library that they selected from the homepage. The library TOC contains a list of manual types and names located to the left of your screen. The selected manual will display chapters and documents in the right panel. Also located on the TOC, the user will find revision information and the ability to filter by Operations and Maintenance manuals. If a Search is conducted from the TOC, the results will contain only information located within the selected library.

Instructions:

1. The TOC contains all manuals and chapters for the selected model
2. It is divided into two panels:
 - a. Manual types
 - b. Main panel
3. At the top of the left panel, select which category of manual you wish to view
 - a. By default, both Operation and Maintenance are checked
4. On the left panel, the manual types, click the dropdown arrow to display the available manuals for that type
5. Once a manual is selected from the dropdown, its contents are displayed in the main panel on the right
6. Select the desired document to open

The screenshot displays the Textron Aviation website interface. At the top, there is a navigation bar with links for 'TOOL TIP - OFF', 'NOTIFICATIONS', 'CHANGE REQUEST', 'TMDA', 'ORDER LIST', 'CONTACT US', 'HELP', and a home icon. Below this is a search bar and a user greeting: 'Welcome, Victoria' with links for 'Account Settings' and 'Logout'. The main content area is divided into two panels. The left panel, titled 'Operations Maintenance', shows a list of manual categories: Flight, Introduction, Maintenance, Miscellaneous, Illustrated Tool and Equipment Manual, Instructions for Continued Airworthiness, Parts, Service documents, and Wiring. The 'Miscellaneous' category is selected, and its contents are displayed in the main panel. The main panel shows the following information: 'CESSNA Model 525 (M2) Revision Information', 'C525TE:Revision - 8, Revision Date - Jun 1, 2007', and a list of chapters: Introduction, Chapter 07 Lifting and Shoring, Chapter 09 Towing and Taxiing, Chapter 10 Parking and Mooring, Chapter 12 Servicing (highlighted), Chapter 21 Air Conditioning, Chapter 24 Electrical Power, Chapter 25 Equipment/Furnishings, Chapter 27 Flight Controls, Chapter 28 Fuel, Chapter 29 Hydraulic Power, Chapter 30 Ice and Rain Protection, Chapter 32 Landing Gear, Chapter 33 Lights, Chapter 34 Navigation, Chapter 35 Oxygen, Chapter 51 Standard Practices - Structures, Chapter 53 Fuselage, Chapter 56 Windows, Chapter 57 Wings, Chapter 71 Powerplant, Chapter 77 Engine Indicating, and Chapter 78 Exhaust. The footer contains copyright information: 'Copyright © Textron Aviation. All rights reserved.' and links for 'Privacy Policy', 'Terms of Use', and 'California Disclosure Statement'.

7. Once a document is opened, the TOC is hidden to the left
8. To show the TOC while viewing a document, click OPEN TOC in the upper left hand corner of the screen
 - a. The TOC will slide right and replace the document view

ONLINE TOOL TIP : OFF NOTIFICATIONS CHANGE REQUEST TMDA ORDER LIST CONTACT US ? HELP

TEXTRON AVIATION Search Welcome, Victoria Account Settings | Logout

12-10-00 SERVICING Figure 1: Sheet 1: Hydraulic Service Hand Pump

Copyright © Cessna Aircraft Company **Illustrated Tool and Equipment Manual (Rev 8)**
12-10-00 (Rev 8)

SERVICING

1. Hydraulic Service Hand Pump

A. The Service Unit has a hand pump set at 1500 PSI with a maximum volume of 1.18 cubic inches per stroke. A pressure filter with a 3-micron element is included to assure fluid cleanliness. A 3000 PSI gauge and a 15-foot high pressure hydraulic hose are also included. The service unit uses hydraulic fluid Type MIL-PRF-83282, and has four full swivel casters for ease in moving. Refer to Table 1 and Figure 1 .

Table 1. Hydraulic Service Hand Pump

NAME	PART NUMBER	ADDRESS
Hydraulic Service Hand Pump	CJMD812-001 (HS-8C-1500-525B)	Hydraulic Speciality Company, Inc. (HYSPECO) 1339 S. Bebe Wichita, KS 67209

2. Hydraulic Service Unit

A. The service unit has a pump capable of 6 GPM and 1500 PSI, but is adjustable to deliver lower pressures and flows. Adjustable pressure and flow rate controls are provided; in addition, provisions for checking fluid color and clarity and for the presence of air are included. The flow rate is adjustable from 1.0 to 6.0 GPM and it operates up to 1500 PSI. Other features are 10 horsepower, 3-phase, 60-Hertz electric motor and starter. A 3 micron pressure filter ensures maximum clean hydraulic fluid entering the airplane's hydraulic system. The unit has high (3000 PSI) and low (60 PSI) gauges, and a flow meter conveniently located allowing the operator to be in complete control of the hydraulic test at all times. The service unit is equipped with three hose assemblies, 15 feet long (one pressure, one return and one overfill line). Input power requirements are 220/440 volts. The service unit uses hydraulic fluid Type MIL-PRF-83282. The service unit is mounted on wheels for transport and maneuverability. The service unit hydraulic replacement cart couplings are: part numbers 9912407-5 (relief), 9912407-7 (pressure), 9912407-9 (return). Refer to Table 2 and Figure 2 .

Table 2. Hydraulic Service Unit

Figure 1: Sheet 1: Hydraulic Service Hand Pump

Copyright © Textron Aviation. All rights reserved. Privacy Policy | Terms of Use | California Disclosure Statement

9. To hide the TOC and return to the document, click CLOSE TOC
 - a. The TOC will slide left and reveal the document

ONLINE TOOL TIP : OFF NOTIFICATIONS CHANGE REQUEST TMDA ORDER LIST CONTACT US ? HELP

TEXTRON AVIATION Search Welcome, Victoria Account Settings | Logout

Operations Maintenance

CLOSE TOC

Flight

Introduction

Maintenance

Miscellaneous

Illustrated Tool and Equipment Manual

Instructions for Continued Airworthiness

Parts

Service documents

Wiring

BOOKMARKS (3)

CESSNA
Model 525 (M2)
Revision Information

C525TE:Revision - 8 , Revision Date - Jun 1, 2007

- Introduction
- Chapter 07 Lifting and Shoring
- Chapter 09 Towing and Taxiing
- Chapter 10 Parking and Mooring
- Chapter 12 Servicing
- Chapter 21 Air Conditioning
- Chapter 24 Electrical Power
- Chapter 25 Equipment/Furnishings
- Chapter 27 Flight Controls
- Chapter 28 Fuel
- Chapter 29 Hydraulic Power
- Chapter 30 Ice and Rain Protection
- Chapter 32 Landing Gear
- Chapter 33 Lights
- Chapter 34 Navigation
- Chapter 35 Oxygen
- Chapter 51 Standard Practices - Structures
- Chapter 53 Fuselage
- Chapter 56 Windows
- Chapter 57 Wings
- Chapter 71 Powerplant
- Chapter 77 Engine Indicating
- Chapter 78 Exhaust

Copyright © Textron Aviation. All rights reserved. Privacy Policy | Terms of Use | California Disclosure Statement

Navigation





General Information:

1View provides the user with multiple options for navigating to your desired information and tools to enhance the user experience. The navigation features include search functionality, library and document bookmarks, previous and next arrows, history, find, and inter/intra manual linking.










1View tools provide the user with multiple options for customizing the viewing experience. The tools provided allow the user the ability to resize the graphic or text panels, adjust the text size, and/or swap the graphic and text panel locations, Text and Graphic Annotations, Order List, Notifications, Tasks, and Print.

Navigation Tools














Homepage

	<p><u>Subscription Status</u>: Located next to each library</p> <ul style="list-style-type: none"> Green: Current – Your subscription is current and you are able to access the library Yellow: Expiring within 60 days – Consider renewing your subscription soon for this library, it will expire within the next 60 days Red: Expired – The library cannot be accessed until the subscription is renewed
	<p><u>Add Bookmark</u>: Located on the homepage, select this icon to bookmark an entire library</p>
	<p><u>Bookmarks</u>: Access a list of bookmarked libraries</p>
	<p><u>Manage Subscriptions</u>: Directs you to the appropriate website location for purchasing additional libraries or renewing current subscriptions</p>


Header Toolbar

 COMPANY ID	<p><u>Company ID</u>: For users with multiple company IDs, this icon allows users to view subscriptions associated with specific company IDs</p>
 TOOL TIP : OFF	<p><u>Tool Tip</u>: Toggles the tool tip information on/off. See Glossary of Terms</p>
 NOTIFICATIONS	<p><u>Notifications</u>: Located in the header, the notifications drop down will contain messages provided by Textron Aviation</p>
 CHANGE REQUEST	<p><u>Change Request</u>: Directs you to the appropriate website location for entering a change request</p>
 TMDA	<p><u>TMDA</u>: Directs you to the appropriate website location for viewing TMDAs</p>
 ORDER LIST	<p><u>Order List</u>: Select this icon to view and manage order lists. See Order List for additional details</p>
 CONTACT US	<p><u>Contact Us</u>: View TMDC contact information</p>
 HELP	<p><u>Help</u>: Navigates to the online help documents by topic</p>
 HOME	<p><u>Home</u>: Directs you back to the 1View homepage</p>

Document Toolbar











 CATEGORY	<u>Category</u> : Create and manage annotation categories
 TASKS	<u>Tasks</u> : View list of phase inspections and task intervals
 BOOKMARK	<u>Bookmark</u> : Located in the document toolbar, this button adds the current document you have opened to your Bookmark List
 BOOKMARK LIST	<u>Bookmark List</u> : Located next to the Bookmark icon in the document toolbar, this button shows a list of all your bookmarked documents. Bookmarks are sorted by model, library, and manual
 HISTORY	<u>History</u> : Select the history icon to view a list of documents you have visited during this browser session. The left and right arrows navigate through the documents you have visited
 PRINT	<u>Print</u> : Print documents with options to select text and/or graphics
	<u>Find</u> : Search the document or graphic for the desired text 
	<u>Match Case Checkbox</u> : Selecting the Match Case check box enables the find feature to strictly look for the exact text entered <ul style="list-style-type: none"> For example: Entering “part” and selecting Match Case allows this feature to only search for “part”, NOT “Part”, “PART”, “parts”, or other variations
	<u>Add Annotation</u> : Allows user to create an annotation within the text panel
	<u>View Annotation</u> : Allows user to view a list of annotations related to the open document
	<u>Text Size Modification</u> : Adjust the text size on the document you are viewing 

Previous/Next Document







- Navigate between documents using the left and right arrows highlighted here
 - The left arrow takes you to the previous document in the manual
 - If you are in the first document within a manual, selecting the left arrow will return you to the TOC
 - The right arrow takes you to the next document in the manual
 - If you are in the last document within a manual, selecting the right arrow will return you to the TOC
- The swap icon  is used to swap the panel views

- Click the swap button once and the graphic will be moved to the left panel, whereas the text will be moved to the right panel

Graphic Panel Toolbar

	<u>Add/Edit Graphic Annotation</u> : Allows user to create and edit an annotation within the graphics panel
	<u>Toggle Graphic Annotation On/Off</u> : Allows user to remove or view annotations within the graphics panel
	<p><u>Zoom</u>: Click the magnifier with the plus sign (+) to zoom in to the center of the image. Click the minus sign (-) to zoom out.</p> <ul style="list-style-type: none"> Click & Drag: Click and drag the zoom indicator to desired zoom, in the center of the image Scrolling Mouse: Use the mouse's scrolling wheel to zoom in/out on the image where the cursor is located Double Click: Double click to zoom in on the image where clicked
	<u>Reset Graphic</u> : Returns graphic image to the original size and location within the graphics panel
	<u>Select Zoom</u> : Allows the user to select a particular portion of the figure and zoom in on it
	<p><u>Wire Highlighting</u>: Select this icon to change the color of the highlighter. Click a wire on the diagram to highlight and click it again to remove the highlight</p> <p>Note: When selecting a highlighting color, you must hit the apply button to save the color change. The default color is red</p> 
	<u>Swap</u> : Within a document, this icon swaps the graphic panel view to the left and the text panel view to the right. To bring the two panels back to the default view, click the swap icon again.
	<p><u>Window Sizing Bar</u>: This divider is used to resize the views of the text and graphics panels in the document view</p> <p>Grab the divider with your mouse and drag to the right to expand the panel view on the left, and drag to the left to expand the panel view on the right</p>
	<p><u>Arrows</u>: These arrows enable the user to show or hide either of the two panels in the document in full view</p> <p>To close the panel view on the right, click the right arrow. Clicking the remaining left arrow will reopen the document to the default view</p> <p>To close the panel view on the left, click the left arrow. Clicking the remaining right arrow will reopen the document to the default view</p>

Offline Library Manager

	<u>Download</u> : Download the selected library
	<u>Pause</u> : Allows the user to pause the library download
	<u>Resume</u> : Allows the user to resume the library download
	<u>Stop</u> : Allows the user to stop the library download
	<u>Reset</u> : Allows the user to reset the library download
	<u>Install</u> : Upon library download completion, the install button appears and allows the user to install the library

Search

General Information:


1View offers robust search functionality which allows the user to easily locate a document by searching for a specific term or phrase. Using the search box from the homepage will return results from all the libraries to which a user is subscribed. If the user runs the same search from within the TOC or a document, the search will return results only for that library. Advanced Search provides the user the option to search by “Any Words,” “All Words,” or “Exact Words” and the ability to filter your search by Make, Library, and Manual.

Instructions:

1. All searches performed from the homepage will search within all of your subscribed libraries. The search text must be less than 100 characters long
2. If you use the same search bar from the Table of Contents or within a document, it will only search within that library

Basic Search


1. A search box is featured in the center of the header on each page of the viewer



2. There is an auto complete function in the search bar
 - a. As you type, possible matches will appear below the search bar
 - b. Select one of the available matches or continue typing



3. Upon selecting a search term, the basic search results box appears
4. By default, the Any Words Filter is selected, but you can change this at the bottom of the box
 - a. Any Words – if the search text is a series of words, search will return any document containing ANY of the search words
 - b. All Words – if the search text is a series of words, search will return any document containing ALL of the search words
 - c. Exact Words – searches the exact text entered in the search box



5. Expand the libraries to view their documents, similar to the Table of Contents
6. Once a document is selected, click the name to open it
7. A new tab will open and display the document with the search text highlighted
 - a. Searched words highlight in the following order, with a repeating pattern:
 - i. Green: first word
 - ii. Yellow: second word
 - iii. Orange: third word
 - b. For example: searching “left wing valve” would highlight like so:

CIRCUIT BREAKER BUS SENSE
(ZONE 322)

CIRCUIT BREAKER **LEFT** LIMITER
(ZONE 322)


CIRCUIT BREAKER **LEFT WING**
ANTI-ICE **VALVE** (ZONE 322)

CIRCUIT BREAKER AIR
CONDITIONING CONDENSER
(ZONE 322)

CIRCUIT BREAKER

Advanced Search

1. Two ways to initiate the advanced search:
 - a. Clicking the magnifying glass in an empty search bar
 - b. Beginning a basic search and clicking the Advanced Search button from the results window
2. In the advanced search window, there are three categories used to filter the results
 - a. Select Make
 - b. Select Library
 - c. Select Manual
3. Multiple options can be selected in each category
4. Select the Reset button to reset your selections
5. Select the Refine Search to display the new search results from your selections



Linking

General Information:

1View data includes several types of hyperlinks. Hyperlinks to external sources will open a new browser tab and will direct you to the appropriate location. Clicking an intra-manual link will scroll the data to the appropriate destination within the document, while selecting an inter-manual link will direct you to the appropriate section of a new document.

1View also provides graphic to text and text to graphic linking. By selecting a reference number from within the text or graphic panel, all instances of that reference number will be highlighted in the corresponding panels.

Internal and External Linking

1. Selecting a link that refers to another section in the same manual will open the section in the text panel and graphics panel
2. Selecting a link that refers to a different manual will redirect the user to the other manual
3. Selecting a link that refers to a graphic will open it in the graphic panel without changing the text panel
4. Selecting an external link (such as the Change Request or TMDA) will open the link in a new browser tab

Reference Number Links

1. Select a part number or reference descriptor within the text panel
 - a. This highlights all instances of that part number or reference descriptor in both the text panel and graphics panel
2. Select a part number or reference descriptor within the graphics panel
 - a. This scrolls the document in the text panel to the first instance of the part number or reference descriptor
 - b. All instances of the part number or reference descriptor will be highlighted in both the text panel and graphics panel

The screenshot displays the Textron Aviation software interface. On the left, a parts list is shown for '24-30-01 Figure 01 - BATTERY ASSEMBLY'. The part number '10' is highlighted in red in the list, corresponding to 'MS35489-12 GROMMET'. On the right, a technical drawing of the battery assembly is shown, with the number '10' highlighted in red on the drawing, indicating a link between the text and the graphic. The interface includes a search bar, navigation buttons, and a table of parts with columns for Part Item Number, Nomenclature, Effectivity, and Units Per Assy.

PART ITEMNUMBER	NOMENCLATURE	EFFECTIVITY FROM	EFFECTIVITY TO	UNITS PER ASSY
10	MS35489-12 . GROMMET		02	02
11	S4131-1 . TUBE ASSY-BATTERY VENT		02	02
12	S4057-8 . SLEEVING-BKI		AR	01
13	S3155-1 . CONTACTOR-RELAY BATTERY DISCONNECT KT001		01	01
14	MS35207-263 . SCREW		04	04
15	6318883-7 . BUS BAR		01	01
16	6318883-8 . BUS BAR		01	01
17	CM2916-400 . SHUNT		01	01
18	MS27039-1-11 . SCREW		02	02
19	MS21075L3N . NUTPLATE		02	02
20	6318331-29 . COVER		01	01
21	MS35207-263 . SCREW		04	04
22	SHELF ASSY-REFER TO 25-70-01 FIGURE 01		RF	RF

Order List

General Information:

The 1View order list is accessed by selecting the Order List icon from the application header. The Order List is a tool that can be used to compile a list of part number and prepare the information needed for ordering parts through Textron Aviation's eCommerce website. Parts can be added to the order list manually or automatically by selecting the part from an Illustrated Parts Catalog or Wiring Diagram. The user is provided several options for printing, emailing, saving, and exporting the part information. If the user has proper permissions, the order list can be sent directly to the eCommerce website for checkout.



Instructions:

1. Add parts to an order list by clicking on the quantity of the part for the order under the PER ASSY column or the shopping cart icon

01

PART ITEMNUMBER	NOMENCLATURE	EFFECTIVITY		UNITS PER ASSY
		FROM	TO	
-	BATTERY ASSEMBLY			
75 7243-16T	. BATTERY ASSY- V84375 16AHR UN900			01
76 6917420-59	. NIPPLE WELD ASSY - HYD			01
77 NAS1922-0050-3	CI AMP			01

AUTOPILOT - FIGURE

REF DES/ WIRE NUMBER	PART NUMBER	DESCRIPTION	END 1 REF DES	END 1 CONTACT	END 2 REF DES	EM COM
-		AUTOPILOT				
 2210P5	MS27484T20F35SA	CONNECTOR, PLUG				
 2210P5G	M85049/47SN20	STRAIN RELIEF				


2. Select "Add To Order" button to add the selected part to your Order List.
 - a. Quantity defaults to the amount shown in the "Units Per Assy" column
 - b. Quantity can be changed on this window or from the Order List

Add Parts to Order List X

Reference No	Part No	Quantity
1	0919005-5	2

Add To Order


3. Order List dialog box shows all parts entered or selected and the desired quantities
 - a. Change quantity
 - b. Delete individual parts
 - c. Delete the entire list
 - d. Add parts manually – Select the Add Parts button and enter the Part Number, Nomenclature (name of part), and Quantity




			<u>A</u> dd: Add the manually entered part entry
			<u>C</u> lear: Clear the typed information from the current entry
			<u>D</u> elete: Erase the current entry

















Manage Order List

1. Open tab
 - a. The user can open previously saved order lists or import order lists from a local .csv file
 - b. Import opens a dialog box containing local user files. Navigate to a .csv file containing order list data



2. Save tab
 - a. Save allows the user to save the order list to the application database
 - b. Save as PDF opens a dialog box to save the order list as a PDF locally
 - c. Export opens a dialog box to save the order list as a .csv file locally













   	<u>E</u> mail: Used to send an order list via email as a PDF
   	<u>P</u> rint: Print the order list in the current view
   	<u>H</u> elp: Redirects you to online help
   	<u>C</u> lose: Exits from the order list

Graphic Panel

General Information:

1View offers users multiple options for customizing the view of the graphics panel. By default, graphics are displayed in the right panel with the option to swap the text and graphics panels. The graphics panel contains additional features, including multiple zoom options, annotations, wire highlighting, and panel resizing options. All images associated with the open document can be viewed in the thumbnail carousel.

Graphic Panel Toolbar

	<u>Add/Edit Graphic Annotation</u> : Allows user to create and edit an annotation within the graphics panel
	<u>Toggle Graphic Annotation On/Off</u> : Allows user to remove or view annotations within the graphics panel
	<u>Zoom</u> : Click the magnifier with the plus sign (+) to zoom in to the center of the image. Click the minus sign (-) to zoom out. <ul style="list-style-type: none"> Click & Drag: Click and drag the zoom indicator to desired zoom, in the center of the image Scrolling Mouse: Use the mouse's scrolling wheel to zoom in/out on the image where the cursor is located Double Click: Double click to zoom in on the image where clicked
	<u>Reset Graphic</u> : Returns graphic image to the original size and location within the graphics panel
	<u>Select Zoom</u> : Allows the user to select a particular portion of the figure and zoom in on it
	<p><u>Wire Highlighting</u>: Select this icon to change the color of the highlighter. Click a wire on the diagram to highlight and click it again to remove the highlight</p> <p>Note: When selecting a highlighting color, you must hit the apply button to save the color change. The default color is red</p> 
	<u>Swap</u> : Within a document, this icon swaps the graphic panel view to the left and the text panel view to the right. To bring the two panels back to the default view, click the swap icon again.
	<u>Window Sizing Bar</u> : This divider is used to resize the views of the text and graphics panels in the document view Grab the divider with your mouse and drag to the right to expand the panel view on the left, and drag to the left to expand the panel view on the right
	<u>Arrows</u> : These arrows enable the user to show or hide either of the two panels in the document in full view To close the panel view on the right, click the right arrow. Clicking the remaining left arrow will reopen the document to the default view To close the panel view on the left, click the left arrow. Clicking the remaining right arrow will reopen the document to the default view

Carousel

1. All images associated with the open document are displayed as thumbnails in the carousel located at the bottom of the graphics panel
2. Scroll through all available images by clicking the left and right arrows



3. Selecting an image from the carousel will display the image in the graphics panel

Print

General Information:

1View offers a variety of options for printing. The user has the ability to print a selected area of text or an entire document, with the additional option to include or exclude the graphics. The user also has the ability to decide whether or not to print the annotations associated with the text and/or graphics.

Panel Preference Options

1. **Document** – Select this option to print the text document in view
2. **Graphics** – Select this option to print some or all of the images in view

Document Panel Options

1. **Selected Text** – Select this option to print only the highlighted text
2. **Document** – Select this option to print the entire document currently in view
3. **Include Annotations** – Select this option to also print the public annotations in the document currently in view
4. **Include Private Annotations** – Select this option to also print the private annotations in the document currently in view

Graphic Panel Options

1. **All Figure Sets** – Select this option to print all the images included in the document currently in view
2. **Current Figure Set** – Select this option to print all sheets of the figure in view in the Graphic Frame
3. **Current Image Sheet** – Select this option to print the image currently in view in the Graphic Frame in its native size
4. **Current Image Zoom/Wire Highlight** – Select this option to print the image currently in view in the Graphic Frame in its current state (For example, if it is zoomed in, it will print as a zoomed image). If this option is selected, the document cannot be printed with the graphic
5. **Include Annotations** – Select this option to also print the annotation in the images currently in view

Print Mode

1. **Portrait** – Select this option to print the associated graphics in portrait orientation on 8.5"x11" sheets
2. **Landscape** – Select this option to print the associated graphics in landscape orientation on 8.5"x11" sheets
3. **Landscape Large** – Select this option to print the associated graphics in landscape orientation on 11"x17" sheets


Printing

1. **Email** – Use the Email button to send the document with the selected document and graphics options as a PDF via email
2. **Save as PDF** – Use the Save as PDF button to save the document locally with the selected document and graphics options as a PDF
3. **Print** – Use the Print button to print the document with the selected document and graphics options

NOTE: Select the "Include Manual Title Page" at the top of the print dialog window to include a title page displaying the name of the manual when printing, emailing, or saving as a PDF. "Include Manual Title Page" is not available for all documents.

Printing Wiring Diagrams with Color Highlighting

1. To print wiring diagrams with wires highlighted in color, perform the following steps:
 - a. After the wires are highlighted as desired, click on the Print Icon in the Document Toolbar.
 - b. Select Current Image Zoom/Wire Highlight in the Graphics Panel options of Print Dialog Window



Tasks

General Information:

Tasks is an option for reading and printing of tasks for different airplane phase inspections. This option is not available for all aircraft models.

Tasks within the Text Panel

1. This refers to the task numbers listed in the documents
 - a. These task numbers have a tool tip for printing the task
 - b. Clicking on the task number will take you to the default print preview window of the browser

Tasks for the Aircraft Phases

NOTE: Not all aircraft will have the Tasks feature available.

1. Select a document in your subscribed library
2. Click the Task Icon located above the viewing panel(s)
3. This will open a Task Window called Inspections, displaying all task programs
 - a. The first section of the Inspections Window shows numbers that correspond to the order of the inspection documents in the model library
 - b. The second part contains clickable icons that show the names of inspection documents
 - c. The right part of the Task Window contains the name of the inspection documents and the print options

NOTE: Clicking on the icon next to the inspection document name in the Task Window, opens the selected inspection document in the viewer and jumps to the location of the task within the document

Print Options

1. There are three options available for users to keep a record of the inspection documents:
 - a. Email – Opens the default mail client and attach the documents in PDF form. The attached document will also be saved in the local temporary folder in your computer
 - b. Save – Saves documents as a PDF locally
 - c. Print the Tasks – Opens the selected Inspect Document in a new browser tab where you can print the document

The screenshot shows a software interface titled "Task Intervals". On the left, there is a vertical list of task numbers from 01 to 10, each with a document icon. The right side of the window displays two task entries: "Vapor Cycle Cooling System Hour Meter Inspection (Except Compressor Motors 1134104-1, -5) - Complete" and "Engine Fire Extinguishing System General Visual Inspection - Complete". Below these entries, there is a "Print Options:" section with four checkboxes: "With Image" (unchecked), "With Inspection Document" (unchecked), "All Tasks" (radio button selected), and "Current Task" (radio button selected). At the bottom, there are three blue buttons: "Email", "Print", and "Save as PDF".

Annotations

General Information:

The Annotations tool is used to create a note on a specific document or image. Annotations are available on both the text and graphic panels. Users have the ability to view all annotations created under your company ID, unless a specific annotation is marked as “Private” which makes that annotation available only to the user who created that annotation. A red badge and number will appear over the View Annotations icon if there are annotations associated with the open document.

Text Panel Annotations

1. Clicking the annotation icon opens the following window:
 - a. Description – Enter an annotation description or title
 - b. Category – Select a category for the annotation from the dropdown list provided. This is not a required field
 - i. Categories can be added/managed using the Category icon located on the document toolbar
 - c. Annotation Box – Enter the annotation content in the text box provided
 - d. Private Checkbox – Select the checkbox to make the annotations private. Private means only you can view the annotations. Public means all users in your company can view the annotations
 - e. Attach Documents – Click the Browse button and select the desired file from your computer to attach to the annotation
 - f. Save Button – Select the Save button to save the annotation
 - g. Help – Located in the upper left corner of the Annotations window

Annotation: ? | X

Description:* Test Annotation

Category: Please Select Category...

Enter Annotation:*

Test

body p

Private

Attach Documents: Browse...

Save


2. Select the view annotations icon to view previously saved annotations for that document


Annotations: ? | X

Category Filter: --All--

Description	Last Modified				
Test Annotatio...	2016-04-22	View	Edit		X
Test Annotatio...	2016-04-22	View	Edit		X
Test Annotation	2016-04-22	View	Edit		X

Graphic Panel Annotations

1. Graphic annotations are available for 2D images
2. NOT available for PDFs
3. Select the Graphic Annotations Icon to open the annotation window
 - a. Description - Enter an annotation description
 - b. Category - Select a category for the annotation from the dropdown list. This is not a required field
 - i. Categories can be added/managed using the Category icon located on the document toolbar
 - c. Annotations box - Enter the annotation content in the text box provided
 - i. For graphics - highlighting/editing pen, options for adjusting thickness of the pen, eraser, highlighter, line tool, polyline tool, rectangle and eclipse
 - ii. For inserting text box - you will be able to insert and draw a text box (transparent box) and enter text. There are tools to adjust font, size and color
 - d. Save button: Select the Save button to save the annotation
4. The graphic annotation can be toggled on/off using the toggle button  in the graphics toolbar




Note: If a manual containing an annotation has been revised, the user will be prompted to review the annotation. If you have edit rights for the annotation, you can approve or remove the annotation for the current version.

Change Requests/TMDA

Change Request:

1. The Change Request link in the 1View header redirects the user to an external webpage in a new browser tab
 - a. If the user is in a Beechcraft or Hawker manual, the user will be redirected to the Beechcraft change request form
 - b. If the user is in a Cessna manual, the user will be redirected to the Cessna technical publications change request form



TMDA:

1. The Technical Manual Deviation Approval (TMDA) link in the 1View header will redirect the user to an external website in a new browser tab
 - a. If the user is in a Beechcraft or Hawker manual, the user will be redirected to the Beechcraft TMDA
 - b. If the user is in a Cessna manual, the user will be redirected to the Cessna TMDA




Offline Application

General Information:


1View offline application offers the ability to view Textron Aviation technical publications from an installed version of the application vs. the online application which is used in a connected state. The 1View offline application offers many of the same features and functionality as the online application. Also providing the user the ability to synchronize the annotations saved on the online and offline applications.

Install Offline Application


1. Visit pubs.txtav.com
2. Select the appropriate Windows or MAC installer link under the New Install header
3. Select the destination location for where the 1View application will be installed, click Next
 - a. Hint: This field is pre-populated with a default location




4. Select the Standalone or Intranet radio button, click Next
 - a. Standalone – Use this option if the library information will be accessed from this machine only
 - b. Intranet – Use this option if this is a network setup and libraries will be accessed from multiple machines (See Intranet Access for more information on how to access from different machines)
5. Require login to access Administration tool – Use this option to control who has access to the Library Manager
 - a. Selected by default
 - b. Can be removed if a single user is accessing the application and does not want to be prompted for admin user name and password





6. Select the Library Path location, click Next
 - a. Hint: This field is pre-populated with a default location




7. Select the checkbox next to "Create a desktop shortcut" if you wish (Optional), click Next.




8. Review your selected settings and click Install



9. Once the “Completing the 1View Setup Wizard” window appears, click Finish
 - a. “Launch My Program” is checked by default and will open the application after clicking the Finish button




- b. Note: The Initial launch of the application may take several minutes




10. Enter the Admin Authentication Credentials and click Go
 - a. Username: admin
 - b. Password: admin

11. Enter the Subscription Credentials or select "Skip"
 - a. Username: your username
 - b. Password: your password
 - c. Select "Skip" if you are working in an offline state and will be installing libraries via DVD



The image shows a dialog box titled "Subscription" with a key icon. It contains two input fields: "User Name" and "Password". Below the fields are two buttons: "Ok" and "Skip". A red box highlights the input fields. At the bottom, there is a red warning message: "By skipping this login you will be working in a disconnected state and you will not have access to online subscription and revision information or synchronization."

12. If the user ID you entered is associated with multiple company IDs, select the desired Company ID from the dropdown list and select Go



The image shows a dialog box titled "Select your Company ID" with a key icon. It contains a dropdown menu labeled "Company ID" with the value "331" selected. Below the dropdown is a "Go" button. A red box highlights the "Go" button.

Library Installation

1. Select a library from the New Libraries for Download section

New Libraries For Download	
Library Details	Download Status
Model S550 Maintenance Library and Service Information	⬇
Premier Model 390 Flight Information	⬇
<div style="display: flex; align-items: center; gap: 10px;"> ⬇ ⏸ <input type="text"/> ■ ↻ </div>	
Premier Model 390 Pilot Checklist	⬇
Premier Model 390 Pilot Operation Manual	⬇

- a. Click the Download button
 - i. The progression bar will say "Download Queued..." and once it has begun, it will give a completion percentage



- Upon download completion, click the Install button that appears on the right hand side of the progression bar to initiate the installation process



- Once the Install is complete, the library will appear in the Installed Libraries section

Library Details	Revision Status	Download Status	
Model 680A Maintenance Library and Service Information			

NOTE: Select the “Install once download is complete” check box to automatically begin the installation process once the download is complete

Install once download is completed

- Navigate to 1View by clicking the 1View icon in the upper left hand corner of the Library Manager
 - Note: if this link does not appear to be working, please turn off your browsers pop-up blocker



- Navigate back to the Library Manger by clicking the Admin Home icon in the upper left hand corner of 1View



- You will be prompted to enter the Admin Authentication Credentials if there are no libraries installed for viewing on the Homepage


Offline Library Manager

	<u>Download</u> : Download the selected library
	<u>Pause</u> : Allows the user to pause the library download
	<u>Resume</u> : Allows the user to resume the library download
	<u>Stop</u> : Allows the user to stop the library download
	<u>Reset</u> : Allows the user to reset the library download
	<u>Install</u> : Upon library download completion, the install button appears and allows the user to install the library


Library Manager Navigation

Install from DVD


1. Insert DVD into the DVD drive of your machine and select "Install from DVD"



2. You will be prompted to confirm the DVD install, click OK




3. An Install progress bar will appear
 - a. Note: some libraries may take longer to install based on the file size
 - b. You will receive a confirmation upon successful installation
 - c. Upon successful completion the libraries will appear in the Installed Libraries section of the Library Manager




Change User/Company (For users with multiple company IDs)


1. Select "Change User/Company" button



2. Enter the Subscription Credentials
 - a. Username: your username
 - b. Password: your password



3. Select a Company ID from the dropdown in the Select your Company ID popup and click Go



Select your Company ID

Company ID 58001


Go

Configure Download

1. Select "Configure Download" button

Configure Download

2. Make your desired choices by selecting the checkbox next to each option and choosing an appropriate timeframe from the dropdown
 - a. Note: These are not required fields and may be set by users who do not wish to visit the Library Manager regularly



Do Automatic Library Download
Timeframe 12AM-6AM

Do Automatic Library Install
Timeframe 12AM-6AM

Do Auto Synchronization for Annotations or Configuration
Qualifier Information
Timeframe
Select
Hourly
12AM-6AM
6AM-12PM
12PM-6PM
6PM-12AM


Proxy Host:

Proxy Port:

Save Setting

Manage Subscriptions

1. Select Manage Subscriptions button and then the desired brand from the dropdown
 - a. Beechcraft - Redirects you to Beechcraft.com subscription location
 - b. Cessna - Redirects you to CessnaSupport.com subscription location
 - c. Hawker - Redirects you to Beechcraft.com subscription location




Synchronization

1. Select the Synchronization button to synch a user's annotations in online and offline applications
 - a. Annotations created in the online or offline application will save in the corresponding application
 - b. Note: Private annotations will NOT be synched as these are specific to a user ID




Delete an Installed Library

1. Navigate to the Installed Libraries location
 - a. Select the trashcan icon to delete the desired installed library
 - b. Confirm the download removal by clicking Yes on the popup alert message




Add a New User

1. Click the Users button in the upper right hand corner



2. On the Add tab, complete all required fields
 - a. Select Add to add a user

A screenshot of a form titled "Add New User" with a white background and a thin border. The form has three tabs: "Add" (selected), "Remove", and "Password". Under the "Add" tab, there are six input fields, each with a red asterisk indicating it is required: "User Name*", "Display Name*", "Password*", "Retype Password*", "Date of Birth*" (with a placeholder "mm/dd/yyyy"), and "Email*". At the bottom of the form, there are two blue buttons: "Cancel" and "Add".

3. To reset a password: navigate to the Password tab
 - a. Complete all required fields and select Update

4. To remove a user:
 - a. Select the Users button in the upper right hand corner
 - b. Navigate to the Remove tab
 - c. Select the red "x" to delete the desired user

Intranet Access

1. After installation, accessing the 1View offline application from the server machine is: <http://localhost:8108/TPWeb/app/index.html#/home>
2. Access from another client machines by replacing "localhost" with the server machine name.
 - a. For example: <http://ah859633:8108/TPWeb/app/index.html#/home>.

Note: The machine name can be found different ways

For example:

- Right-clicking the desktop My Computer icon and selecting Properties
- In Windows Explorer Right-clicking on the computer node just above the C drive and selecting Properties

Here's a couple additional from a website:

- Type Hostname in the Command Prompt, then press the Enter key.
- Press the Windows and Pause keys to bring up the System Properties dialog. Select the Computer Name tab to find the name.
- Go to Control Panel—>Performance and Maintenance—>System. Select the Computer Name tab to find the name.

[Control Panel Home](#)

- [Device Manager](#)
- [Remote settings](#)
- [System protection](#)
- [Advanced system settings](#)

View basic information about your computer

Windows edition

Windows 7 Professional
Copyright © 2009 Microsoft Corporation. All rights reserved.
Service Pack 1

System

Manufacturer:	Textron Corp
Model:	Textron Win
Rating:	 Windows 7.2
Processor:	Intel(R) Core
Installed memory (RAM):	8.00 GB (7.8
System type:	64-bit Opera
Pen and Touch:	No Pen or To

Textron Corp. Tue 05/24/2016 support

Phone number:	866-402-514
Support hours:	Support Hou
Website:	Online supp



Computer name, domain, and workgroup settings

Computer name:	AH859633
Full computer name:	AH859633.b

See also

Uninstall Offline Application

1. Navigate to C:\txtav\1view
2. Double click uninst000.exe and select Yes
 - a. Verify C:\txtav and C:\ProgramData\txtav folders are deleted, otherwise delete them from the C drive





NOTE: If you receive the error "Application is still running. Please stop and retry!":

1. Double click the 1View icon on your desktop, opening the offline application
2. Proceed with uninstall process



NOTE: If at any time you are asked to restart the server, navigate to your Toolbar and locate the arrow to Show Hidden Icons

- a. Select the arrow
- b. Right click on the 1View icon
- c. Select Stop Server



Web Registration

General Information:

This section provides detailed instructions on how to register on the Textron Aviation Technical Publications website, as well as how to link Beechcraft.com and CessnaSupport.com registrations for a single sign on (SSO) login.

The log-in screen for the Technical Publications website is located at <https://ww2.txtav.com>. A txtav.com log-in is required to order parts and view technical publications information and will replace log-ins used for Beechcraft.com and CessnaSupport.com log-ins. The txtav.com log-in will allow a single sign-on solution to access all three sites.

Existing Web Account

1. Log in with an existing web account
 - a. Enter users email address and password
 - b. Click Sign In

Create a New Web Account

1. Select Register from the log in screen
 - a. Fill out the registration form with each of the required fields
 - b. Select Sign Up

Log in

Email Address

Password

Sign In

Forgot Password?

New User
Are you a new user and don't have an account yet?

REGISTER

Register

Create Account

First Name Last Name

Email Address

Company

Street Address

Address Line 2

Address Line 3

City State/Province/Region Postal Code

Country
UNITED STATES

Phone Fax


Password Re-enter Password

Passwords must be at least 8 characters long and contain at least one uppercase, one lowercase, and one numeric character.

Sign Up

NOTE: The email address entered on the registration form will be used as the username on txtav.com


2. A confirmation email will be sent to the email address you provided
3. To confirm and complete your txtav.com account, click the Confirm Your Account button from within the confirmation email



4. Click Confirm Registration and once you've done so, select Click here to Log in

Confirm Email


In order to complete the confirmation please click **Confirm Registration** below.



Confirm Email

Thank you for confirming your email. Please [Click here to Log in](#)



5. Upon registration completion, user accounts for Beechcraft.com and/or CessnaSupport.com can be linked to the txtav.com log in to create a single sign on
6. Under My Account in the upper right-hand corner, select My Tools
7. Click Linked User Accounts



8. If the user has a Beechcraft.com username and password, enter the credentials under the Beechcraft.com User Account section
 - a. Click Link Account
 - b. A message will appear at the top of the Linking Accounts screen saying “Account Linking Successful” and will display a link to the Beechcraft.com website

Linked User Accounts



If you have user accounts for beechcraft.com or support.cessna.com then please enter the username(s) and password(s) below to link your user accounts. Once you have linked your user accounts, you won't have to login again when launching either site from 1View or from many of the links on this site. Linking your user accounts can also help us identify which manuals you should have access to if you subscribe to our technical publications.


<p>Beechcraft.com User Account</p> <p>Username</p> <input type="text" value="Beechcraft.com Username"/> <p>Password</p> <input type="password" value="....."/> <p style="text-align: center;"></p>	<p>Cessna.Support.com User Account</p> <p>Username</p> <input type="text"/> <p>Password</p> <input type="password"/> <p style="text-align: center;"></p>
--	--

9. If the user has a CessnaSupport.com username and password, enter the credentials under the CessnaSupport.com User Account section
 - a. Click Link Account
 - b. A message will appear at the top of the Linking Accounts screen saying “Account Linking Successful” and will display a link to the CessnaSupport.com website



Linked User Accounts

If you have user accounts for beechcraft.com or support.cessna.com then please enter the username(s) and password(s) below to link your user accounts. Once you have linked your user accounts, you won't have to login again when launching either site from 1View or from many of the links on this site. Linking your user accounts can also help us identify which manuals you should have access to if you subscribe to our technical publications.

<p>Beechcraft.com User Account</p> <p>Username</p> <input type="text"/> <p>Password</p> <input type="password"/> <p style="text-align: center;"></p>	<p>Cessna.Support.com User Account</p> <p>Username</p> <input type="text" value="Cessnasupport.com User Account"/> <p>Password</p> <input type="password" value="....."/> <p style="text-align: center;"></p>
--	---



If you have user accounts for beechcraft.com or support.cessna.com then please enter the username(s) and password(s) below to link your user accounts. Once you have linked your user accounts, you won't have to login again when launching either site from 1View or from many of the links on this site. Linking your user accounts can also help us identify which manuals you should have access to if you subscribe to our technical publications.

<p>Beechcraft.com User Account</p> <p> Successfully Linked! Go To Beechcraft.com</p>	<p>Cessna.Support.com User Account</p> <p> Successfully Linked! Go To Cessna.Support.com</p>
--	--

10. No log in will be required to navigate to either the Beechcraft.com or CessnaSupport.com websites once the accounts have been linked and the user logs in to txtav.com
11. Customer account number(s) will be listed under Technical Publication Accounts
 - a. For those users who have multiple accounts, all account numbers associated with Beechcraft.com and Cessnasupport.com will be listed

NOTE: Beechcraft.com account numbers will be converted to a Textron Aviation account number

12. Click Launch to open the Textron Aviation Technical Publications home page
 - a. The links listed under Beechcraft and Cessna will take you back to the Beechcraft.com and Cessnasupport.com websites using the Single Sign-on feature

